

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Scotland's other cherished liquid asset						
	Ada	amatic Destainer		Issue 2T Revision 12 May 2015		
1 Identification of the substance/mixture and of the company undertaking						
1.1 Product Identifier	Product Name Adamatic Destainer					
	Product C	Product Codes		3013		
1.2 Relevant identified uses of the sub	stance or mix	cture and uses advised agai	nst			
Identified Uses of the substance/mixture	Chlorinate	Chlorinated Tannin Remover. Professional Use.				
Uses advised against	None Ide	ntified				
1.3 Details of the supplier of the safety	data sheet					
Manufacturer/Distributor	Arpal Wo Riverside	RP Adam Ltd Arpal Works Riverside Road Selkirk, TD7 5DU, UK		+44 (0) 1750 21586 +44 (0)1750 21506 Salesinfo@rpadam.co.uk		
1.4 Emergency Telephone Number						
National Advisory Body/Poison Centre						
Tel.		National Poison Information Service 0870 243 2241 (UK Only) (0870 600 6266 Medical Professionals Only – UK Only)				
Manufacturer/ Distributor/ Importer						
Telephone number:	+ 44 (0)17	+ 44 (0)1750 21586				
2 Hazards Identification						
2.1 Classification of Substance or mixto	ure					
Product Definition	Mixture					
Classification according to Directive 19	99/45/EC [D	PD]				
Classification	Xi	Irritant				
	Ν	Dangerous for the Environr	nent			
Human Health Hazards	R36/38	Irritating to eyes and skin.				
Environmental Hazards	R51/53	/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.				
Classification according to Regulation	EC) No. 1272	2/2008				
Physical Hazards	No Significa	No Significant Hazard				
Human Health Hazards	Skin Corr 1 – H319					
Environmental Hazards	Aqua Chronic 2 – H411					

Safety Data Sheet Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2T Revision 12 May 2015

2.2 Label Elements				
Label Elements (In Accord	dance With Dire	ective 1999/45,	/EC [DPD])	
Hazard Symbol(s)		*		
Indication of danger		Irritant	Dangerous For The Environment	
Risk Phrases		R36/38	Irritating to eyes and skin	
			Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
Safety Phrases		·	Avoid any inhalation, contact with skin and eyes. Wear suitable protective clothing and gloves	
			In case of contact with eyes, rinse immediately with plenty of water and seek medical advice	
Label Elements (Label In .	Accordance Wi	th (EC) No. 127	2/2008)	
Pictogram(s)				
Signal Word		Danger		
		Contains Diso	dium Metasilicate	
Hazard Statements		Contains Diso H314	dium Metasilicate Causes severe skin burns and eye damage.	
Hazard Statements				
Hazard Statements Precautionary Statements	Prevention	H314	Causes severe skin burns and eye damage.	
	Prevention Response	H314 H412	Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects. Wear protective gloves, protective clothing, and eye or face protection	
		H314 H412 P280 P303 + P361 -	Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects. Wear protective gloves, protective clothing, and eye or face protection IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.	
		H314 H412 P280 P303 + P361 - P353 P305 + P351 -	 Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects. Wear protective gloves, protective clothing, and eye or face protection IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove 	
		H314 H412 P280 P303 + P361 - P353 P305 + P351 - P338	 Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects. Wear protective gloves, protective clothing, and eye or face protection IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 	

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2T Revision 12 May 2015

3 Composition/Information on Ingredients

3.2 Mixtures

			Classification		
Product/Ingredient Name	Identifiers Reach No/CAS/EC No	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Sodium Carbonate	01-2119485498-19/ 497-19-8/ 207-838-8	>60	Xi; R36	Eye Irrit. 2 (H319)	1
Disodium Metasilicate	01-2119449811-37/ 6834-92-0/ 229-912-9	5-15	C; R34 Xi; R37	Met. Corr. 1 (H290) Skin Corr. 1B (H314) Eye Damage 1 (H318)	1
Sodium Dichloroisocyanurate, Dihydrate	Not Available/ 51580-86-0/ 220-767-7	5-15	Xn; R22 Xi; R36/37 N. R50/53 R31	Aquatic Chronic 1 (H410) Acute Tox. 4 (H302) Eye Irrit. 2 (H319) STOT SE 3 (H335)	12

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

1 Substance classified with a health or environmental hazard

2 Substance with a workplace exposure limit

Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

4 Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

4 First aid measures

3

Туре

4.1 Description of first aid measures

Eye Contact	Rinse immediately with copious amounts of water for at least 10 minutes, holding the eyelids open. If irritation occurs obtain medical advice.
Inhalation	Remove from source of exposure. Seek medical advice if symptoms persist. Exposure by inhalation in unlikely in normal use.
Skin Contact	Flush contaminated area with running water for 10 minutes, remove any contaminated clothing and launder before re-use. If irritation persists or there is any sign of skin damage seek medical advice.
Ingestion	If conscious, remove product from mouth, give casualty a small quantity of water or milk to drink and seek medical advice. Do not induce vomiting
Protection of First Aider	Wear PPE if appropriate (Refer to section 8.2)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Severe burns and irritation are most likely symptoms when there is exposure to skin, eyes and respiratory system. Not considered to cause sensitization. Further important symptoms and effects are so far not known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

Treat according to symptoms (decontamination, vital functions). Toxicological information on components, where available, in given in section 11.

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2T Revision 12 May 2015

5 File lighting measures	
5.1 Extinguishing media	
Extinguishing media Unsuitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog None known
5.2 Special hazards arising from the s	substance or mixture
Hazards from the substance or mixture Hazardous combustion products	In a fire or if heated, a pressure increase will occur and the container may burst. During fire toxic gases, CO and CO_2 are formed
5.3 Advice for fire-fighters	
Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire- fighters	Fire-fighters should wear self-contained breathing apparatus and suitable personal protective equipment as appropriate to the surrounding fire.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe dust. Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Information regarding personal protective measures see, section 8.

6.2 Environmental precautions

Do not discharge into drains/surface waters/groundwater. Contain contaminated water/fire fighting water.

6.3 Methods and material for containment and cleaning up

Small spill:

5 Eiro fightir

Large spill

Sweep up material and place in an appropriate waste disposal container for disposal according to local regulations (see section 13).. Wash affected area with water. Prevent entry into sewers, water courses, basements or confined areas. Sweep up material and place in an appropriate waste disposal container. Wash affected area with water and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7 Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid contact with the skin, eyes and clothing. Contaminated surfaces may be extremely slippery. Clean up spillages. Do not allow to dry. Do not eat, drink or smoke in area where material is used or stored.

7.2 Conditions for safe storage, including any incompatibilities

Protect against heat. Store in original labelled containers. Keep container tightly closed, upright and in a cool place. Keep away from acids. Protect from freezing.

7.3 Specific end use(s)

Recommendations	Not specific advice available.
Industrial sector specific solutions	Not applicable.

Safety Data Sheet Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2T Revision 12 May 2015

8.1 Control parameters	
Occupational exposure limits Product/ingredient name	Exposure limit values
Sodium Dichloroisocyanurate, Dihydrate Derived effect levels No DNELs available for the mixture Predicted effect concentrations No PNECs available for the mixture.	MEL Short Term 0.07 mgm ⁻³ Short Term 0.02 mgm ⁻³
8.2 Exposure controls	
Process conditions	Provide eye-wash stations
Engineering Measures	Wear appropriate PPE if contact is possible when opening tubs and dispensing powder. If airborne dusts are generated provide adequate general and local exhaust ventilation to keep exposure below any statutory limits.
Personal Protective Equipment	
Respiratory protection:	Not needed in normal use. If dust is created use particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 14387)
Hand protection	Wear chemical resistant protective gloves (EN 374) Review condition of gloves when in use, especially for wear, cuts and breakthrough after prolonged contact. Consult with a supplier of protective gloves for further information or for other tasks.
Eye protection	Not needed in normal use. Wear tightly fitting safety goggles (splash goggles) (e.g. EN 166 if dust is likely to be produced.
Body protection:	Wear chemical resistant clothing and boots if exposure may occur. Other body protection may be suitable depending on activity and possible exposure, e.g. apron, chemical-protection suit (meeting EN 14605).

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

9 Physical & chemical properties

9.1 Information on basic physical and chemical properties

Physical state Fre	ee flowing powder
Colour Wł	hite.
Odour Slig	ght chlorine
Odour threshold No	ot determined for the mixture.
pH value 20 Deg C 11.	.5-12.5 @ 2%
Melting point/Freezing point No	ot determined for the mixture.
Initial boiling point and boiling range No	t determined for the mixture.
Flash point No	ot determined for the mixture.
Evaporation rate No	t determined for the mixture.
Flammability (solid, gas) No	ot flammable.
Burning time No	ot determined for the mixture.
Burning rate No	ot determined for the mixture.
Upper/lower flammability or explosive No	ot determined for the mixture.
limits	
Vapour pressure No	ot determined for the mixture.
Relative density 0.9	900-1.200
Solubility(ies) Rea	adily soluble in cold and hot water
Partition coefficient: n-octanol/water No	ot determined for the mixture.
Auto ignition temperature No	ot determined for the mixture.
Decomposition temperature No	ot determined for the mixture.
Viscocity No	t determined for the mixture.
Explosive properties No	ot explosive
Oxidising properties No	ne
9.2 Other Information	
No further relevant information available	

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2T Revision 12 May 2015

10 Stability and Reactivity	
10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical Stability	Stable mixture under normal conditions or storage and use.
10.3 Possibility of hazardous reactions	Hazardous reactions will not occur in normal storage conditions.
10.4 Conditions to avoid	None known in normal storage conditions.
10.5 Incompatible materials	Will react with acids.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicology

11.1 Information on toxicological effects

Toxicological data for this mixture is not available as animal toxicity studies have not been carried out. Toxicological data for the raw materials is, where provided by the manufacturer, available on request.

12 Ecological information

12.1 Toxicity

Ecological Toxicity data for this mixture is not available as ecological toxicity studies have not been carried out. Ecological Toxicity data for the raw materials is, where provided by the manufacturer, available on request.

12.2 Persistence and degradability	
Conclusion/Summary	Any surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
12.3 Bioaccumulative potential	
Conclusion/Summary	Not determined for the mixture.
12.4 Mobility in soil	
Soil/water partition coefficient (KOC)	Not determined for the mixture.
Mobility	Not determined for the mixture.
12.5 Results of PBT and vPvB assessm	lent
РВТ	Not applicable.
vPvB	Not applicable.
12.6 Other adverse effects	No known significant effects or critical hazards.

13: Disposal considerations	
13.1 Waste treatment methods	
Waste from residues / unused products	Dispose of in compliance with all Federal, state, provincial, and local laws and regulations.
	EWC Code 20 01 29* - detergents containing dangerous substances
Empty packaging recommendation:	Dispose of observing national or local regulations. (Can be cleaned with water)
	EWC Code 20 01 39

Safety Data Sheet Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2T Revision 12 May 2015

14: Transport information					
	ADR/RID	ADN/ADNR	IMDG	ΙΑΤΑ	
14.1 UN number	UN 3253				
14.2 UN proper shipping name	Disodium Trioxosilicate				
14.3 Transport hazard class(es):	CORROSIVE				
14.4 Packing group		III			
14.5 Environmental hazards	None				
14.6 Special precautions for user	None known				
14.7 Transport in bulk according to A IBCCode	nnex II of MARPOL 73,	/78 and the	Not Applicable		
Other relevant information (ADR)	Tunnel Code 3				
L	Transport Category 3				
15: Regulatory information					
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
Ingredients according to EC Detergen	ts Regulation 648/200	4			
15-30%	Phosphates				
5-15%	Chlorine based bleach	ing agents			

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

16: Other information	
The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for	
any specific product features of	and does not establish a legally binding contract
Reason for revision:	Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II
Full text of the R, H and EUH phrases mentioned in section 3	
R36	Irritating to eyes
R34	Causes burns
R37	Irritating to respiratory system
R22	Harmful if swallowed
R36/37	Irritating to eyes and respiratory system
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R31	Contact with acids liberates toxic gas
H319	Causes serious eye irritation
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H410	Very toxic to aquatic life with long lasting effects
H302	Harmful if swallowed
H335	May cause respiratory irritation
Abbreviations and acronyms	
ATE	Acute Toxicity Estimate
CLP	Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272/2008]
DNEL	Derived No Effect Level
EUH statement	CLP-specific Hazard statement
N/A	Not Applicable
PNEC	Predicted No Effect Concentration
REACH No	REACH registration number, without supplier specific part